400 Seventh Street, S.W. Washington, D.C. 20590



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

PSU 90

CASE NO. 6 2/- 4

TYPE OF ACCIDENTLIGHT TRUCK PEdesTRIAN (Crossing YDAG

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include Roadway And Pedestrian #1 was crossing The Road-WAY IN A WESTERLY direction. The FRONT OF Vehicle #1 CONTACTED pedes TriAN#1 on her hept side. The Pedestrian ROTATED ONTO The hood of Vehicle #1 AND SLIDE INTO THE WINDShield. The Pedestrian was carried for Approximately 3 meters, where she fell off The Right side of The Vehicle. The Vehicle Come to Rest immediately prior to The final Rest of

B. PEDESTRIAN PROFILE							
Pedestrian		_	Treatment/				lnjury Y ZONE CENTER)
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source
01	34	Female	MANSPOR Releases	Beck of Head	contision	1	windshield

Type of Anatomic Structure Head Whole Area Face Vessels Throat Nerves Chest Organs Abdomen/Pelvis Skeletal Spine Head-LOC

Abbreviated Injury Scale

- (1) Minor injury
- (2) Moderate injury (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

C. VEHICLE PROFILE						
	Class Most Severe Damage Based on Vehicle Inspection					
	Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	
	01	Piek-UP Truck	1994 ChevorleT 5-10	FRONT	Smudges, dents, Smears, Cracked Windshield.	

Skin-Burn

Skin-Other

DO NOT SANITIZE THIS FORM

Body Region


Upper Extremity

Lower Extremity

External

ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY



ACCIDENT COLLISION DIAGRAM

J.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

	W
- 1	D
4	, ,

NATIONAL ACCIDENT SAMPLING SYSTEMational Highway Traffic Safety PEDESTRIAN CRASH DATA STUDYIGHINISTRATION NATIONAL ACCIDENT SAMPLES SYSTEM PEDESTRIAN CRASH A STUDY National Highway Traffic Safety Administration PSU No. <u>9</u> <u>0</u> Case Number—Stratum <u>6</u> <u>2</u> <u>1</u> PSU No. 90 Case Number – Stratum 621 P Indicate Indicate North North PRIVATE p.P.



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 9 0	Case N	umber-	-Stratum <u>6</u> <u>2</u> <u>1</u> <u>P</u>	
PEDESTRIANIACCIDENT COLLISIO	ONIDATAC	DELECTION,		SCALED DIAGRAM
	асе Туре»	BIT ASPLACT	• nor	th arrow placed on diagram
	see Condition	Dry		de measurements for all applicable dways
	flicient of Fric	don <u></u>		led representations of the physical plant uding:
b) pedestrian contacts with ground or object:	dé (V/h) Mess	ulrement 2	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a), at impac	i e	b)	all traffic controls (e.g., lights, signs)
	b) between final res		peo	aled representations of the vehicle and destrian at pre-impact, impact, and final t based upon either:
	lestrian: Trave	i Direction West	a)	physical evidence, or
4.4	nicle:Travel Di	· 7	b)	reconstructed accident dynamics
ali road/roadway/delineation (e.g., Nun crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked				
vehicles, poles; signs; etc.) b) all traffic controls (e.g., lights; signs)				
Reference Point: Apex/SouTh E Corner	.AST	Reference Line: EA	51 (curb Line
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line
Orcin		0.0		0.0
Pedestrian P.O.I.		25.2m	5	1.7m W
Vehicle#1 P.O.I		25.2m	5	1.7m w
PedestriAN#I F.R.P.		22.6 m	5_	2,0m w
RAdioCASSETT		16.0m 5		0.4m w
SideWALK width-	1.3~			
<i>(</i>				
(on-sce	ne)			
	1			

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	West Action of the	Nom Action Chica

: ,

,

S. Department of Transportation National Highway Traffic Safety Administration

6

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	90
2. Case Number - Stratum	<u>621P</u>

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

800

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

SS15 Administrative Use	0
-------------------------	---

7. _____SS16 Pedestrian Crash Data Study 1

0 8. SS17 Impact Fires

0 9. ____SS18 ______

0 10. SS19 _

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

J .		PEDESTRIAN ACCIDENT EVENTS				
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14/ 5	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-2nd trimester (4th-6th month) (6) Female - pregnant-2nd trimester (4th-6th month) (6) Female - pregnant-2nd trimester (7th-9th month) (7) Female - pregnant-term unknown (8) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 3. 5 Inches X 2.54 = \$\frac{y}{2}\$ Centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 3. 5 Inches X 2.54 = \$\frac{y}{2}\$ Centimeters 9. Pedestrian's Height - Ground to Shoulder 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 1. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Hopping (5) Skipping (6) Jump	2.	Primary Sampling Unit Number	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown 130 pounds X .4536 = 058.9 kilograms
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-3rd trimester (7th-9th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 6. Pedestrian's Verall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown 1. T inches X 2.54 = 4.3 centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown 3. S inches X 2.54 = 8.7.1 centimeters 14. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (07) Off road, approaching road (08) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (10) Unknown 1. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to		PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
centimeter. (999) Unknown (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	5	Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown Pedestrian's Height - Ground to Shoulder Pedestrian's Height - Ground to Shoulder	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle

PEDESTRIAN'S AVOIDANCE ACTIONS	
2 (k	18. Pedestrian's Arm Orientation
. 09	at Initial Impact
7-2	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle (05)	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away (😝 D 6	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child, 13)
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle(98) Other (specify):	bag, etc.) on shoulder(s) or head
(99) Unknown	(98) Other (specify):(99) Unknown
(99) OTIKIOWIT	(99) OHKHOWH
	19. Pedestrian's Leg Orientation
	at Initial Impact 0 2
DEDECTRIANIC ORIENTATION AT IMPROT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
46 Dedestriants Used Orientation	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact (1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(5) Down	• 0
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
(6) 6	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to left (corner impacts only)
	(14) Bumped or pushed aside
·	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
		/
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	2	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:	-	Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	0	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>0</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line- number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
	S INCLUDED WITH INITIAL SUBMISSION? YES[] NO[] YES[]
	. • • • • • • • • • • • • • • • • • • •

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury			4.	1 200
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	s. <u>7</u>	6. <u>8</u>	7.9	8. <u>04</u>	9. <u>0</u> 2	10	11	12. <u>70/</u>	13. <u>/</u>	14. /	15	16. 2	17.2
2nd	18	19. 8	20.5	21.36	22. <u>0</u> 2	23. <u>/</u>	24. <u>J</u>	25. <u>70 /</u>	26. <u></u>	27. <u>/</u>	28. /	29. 2	30. <u> </u>
3rd	31. <u>3</u>	32. <u>7</u>	33. <u>9</u>	34. <u>0 4</u>	35. <u>02</u>	~ 38. <u> </u>	37. <u>/</u>	38. <u>74/</u>	<u>/</u> 39. <u>/</u>	40/	41.2	42. <u>Z</u>	43.2_
4th	44. 3	45. /	46. <u>7</u>	47. <u>9</u> 4	48. <u>D</u>	49. <u>/</u>	50. <u>6</u>	51. <u>7 7 5</u>	52	53. <u>/</u>	_{54.} <u>2</u>	_{55:} 5	56. <u>3</u>
5th	57.	58	59	60	61	62	63	64.	65	66	67	6 8.	69
6th	70	71	72	73	74	75	76	77	. 78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99:	100	101	102	103	104	105	106	107	108
9th	109	110	111	112	113	114	115	118	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130:	131	132	133	134

- B

Source of injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity Aspect	injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th									-		
13th 14th 15th											
16th											
19th 20th											
21st 22nd		— —						_	-	_	<u>-</u>
23rd 24th 25th										-	





7,89402.1,1

medical records Dent Unknown (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5) Cracked, fractured, shattered Direct contact injury summary) Separated from vehicle Indirect contact injury Emergency room records only (including Noncontact injury (3) Noncontact injury Other specify: (8) associated X-rays or other lab reports) Injured, unknown source Unknown Private physician, walk-in or emergency clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage Rounded (contoured) (6) E.M.S. personnel Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge Other (specify): (5) (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Specific Anatomic Structure **Body Region** Minor injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion Head Moderate injury (06) Lumbar (2) Face (3) Serious injury (3) Neck (06) Skin - Laceration Vessels, Nerves, Organs, Bones, Joints (4) Severe injury Thorax (5) Critical injury are assigned consecutive two digit numbers beginning with 02 (08) Skin - Avulsion (5) Abdomen Maximum (untreatable) (10) Amputation Spine (6) injured, unknown severity Upper Extremity (20) Burn (7) Crush Level of Injury (30) Lower Extremity Aspect (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Unspecified (9) Specific injuries are assigned consecutive two-digit beginning with 02. Right Left numbers Type of Anatomic Structure (2) Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (4) (5) Central Vessels Anterior (3) Nerves Posterior (6) Organs (includes muscles/ (10) Concussion (4)(7) Superior ligaments) . Skeletal (includes joints) Head - LOC (8) (9) Inferior Unknown (6) Whole region **INJURY SOURCE** Wheels / tires 744 B pillar 790 Left front wheel / tire 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify): 793 Right rear wheel /tire 703 Hood edge and/or trim 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object 755 Right side glazing rearward of B pillar 802 Oil pan (specify):_ 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 758 Other right side object 805 Drive shaft Left Side Components 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar Back Components 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar 762 Hatchback, vertical surface (specify): 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 773 Cowl area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify):

779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

INJURY SOURCE CONFIDENCE LEVEL

Certain Probable

Possible

SOURCE OF INJURY DATA

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

(1) Autopsy records with or without hospital/

OFFICIAL

TYPE OF DAMAGE

No damage/contact

(0) Injury not from vehicle contact

949 Unknown object in environment

997 Noncontact injury source

999 Unknown injury source

959 Unknown object on contacting vehicle

100

Scratch (Scuff, Cloth Transfer, Smear)

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)


Glasgow Coma Scale Score


$$GCSS = 5$$


Units of Blood Given

Arterial Blood Gases











National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form

OFFICIAL INJURY DATA -INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

dministration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 90	OFFICIAL RECORDS
2. Case Number - Stratum 621 P	9. Police Reported Travel Speed <u>O O O</u>
3. Vehicle Number01_	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	in kmph (999) Unknown 40 mph x 1.6093 = 44.3 kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown 6. Vehicle Model (specify): 47/	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit – 0.xx) (95) Test refused (96) None given
7. Body Type Note: Applicable codes may be found on the back of this page.	(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
$\frac{\frac{1}{6} \frac{C}{2} \frac{C}{3} \frac{S}{4} \frac{1}{5} \frac{H}{6} \frac{H}{7} \frac{R}{8} \frac{R}{9} \frac{R}{10} \frac{R}{11} \frac{R}{12} \frac{13}{13} \frac{14}{15} \frac{15}{16} \frac{17}{17}}{17}$ Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blázer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)</p>
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23.	Critical Precrash Event 80		(83) Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:		(specify):
	(01) Blow out or flat tire		(84) Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine		roadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)]	(85) Pedalcyclist or other nonmotorist—unknown
	(specify):		location (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Object or Animal
	up) (specify):		(87) Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)		(88) Animal approaching roadway
	(specify):		(89) Animal—unknown location
	(06) Traveling too fast for conditions		(90) Object in roadway
	(08) Other cause of control loss (specify):		(91) Object approaching roadway (92) Object—unknown location
	(09) Unknown cause of control loss		(98) Other critical precrash event (specify):
	This Vehicle Traveling		(30) Other Cittical preciasir event (specify).
	(10) Over the lane line on left side of travel lane		(99) Unknown
	(11) Over the lane line on right side of travel lane	ł	(de) e
	(12) Off the edge of the road on the left side	24.	Attempted Avoidance Maneuver O S
	(13) Off the edge of the road on the right side	1	(00) No driver present
	(14) End departure		(01) No avoidance actions
	(15) Turning left at intersection		(02) Braking (no lockup)
	(16) Turning right at intersection		(03) Braking (lockup)
	(17) Crossing over (passing through) intersection		(04) Braking (lockup unknown)
	(19) Unknown travel direction		(05) Releasing brakes
	Other Motor Vehicle In Lane		(06) Steering left
	(50) Stopped		(07) Steering right
	(51) Traveling in same direction with lower speed	1	(08) Braking and steering left
	(i.e., lower steady speed or decelerating)		(09) Braking and steering right
	(52) Traveling in same direction with higher speed		(10) Accelerating
	(53) Traveling in opposite direction		(11) Accelerating and steering left
	(54) In crossover	ĺ	(12) Accelerating and steering right
	(55) Backing (59) Unknown travel direction of other motor vehicle		(98) Other action (specify):(99) Unknown
	in lane		(33) Olikilowii
	Other Motor Vehicle Encroaching Into Lane	25.	Precrash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction) - over left		(0) No driver present
	lane line		(1) No avoidance maneuver
	(61) From adjacent lane (same direction)—over right		(2) Tracking
	lane line		(3) Skidding longitudinally—rotation less than 30 degrees
	(62) From opposite direction—over left lane line		(4) Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line		(5) Skidding laterally—counterclockwise rotation
	(64) From parking lane		(8) Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		
	(66) From crossing street, across path		(9) Precrash stability unknown
	(67) From crossing street, turning into opposite		2
	direction (68) From crossing street, intended path not known	26.	Precrash Directional Consequences of Avoidance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction	ļ	(0) No driver present
	(71) From driveway, turning into same direction (71) From driveway, across path		(1) No avoidance maneuver
	(72) From driveway, turning into opposite direction		(2) Vehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known		maneuver was initiated
	(74) From entrance to limited access highway		(3) Vehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details		where avoidance maneuver was initiated
	unknown		(4) Vehicle stayed on roadway, not known if left
	Pedestrian or Pedalcyclist, or Other Nonmotorist		travel lane where avoidance maneuver was
	(80) Pedestrian in roadway		initiated (5) Vehicle departed roadway
	(81) Pedestrian approaching roadway		Vehicle departed roadway Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location	i	(9) Directional consequences unknown
		1	,

	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	*	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown		36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Duck
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	7	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

2. Case Number - Stratum

621 P

VEHICLE IDENTIFICATION

VIN 16CC51447R81

Model Year 9 4

Vehicle Make (specify): ChevorLeT

Vehicle Model (specify):

5-10

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

STEEL

PEV08 Hood Length

100 cm

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

045

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

010 cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

cm

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening


PEV23 Ground to Base of Windshield

cm

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm



ES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: T42cm/62

1740

PEDESTRIAN SIDE CONTACT WORK		
PEV06 Hood Material		/
PEV08 Hood Length		cm
PEV09 Hood Width-Forward Opening		∕ m
PEV10 Hood Width-Midway		cm
PEV11 Hood Width-Rear Opening	_/_	cm
VERTICAL MEASUREMENTS		
		· ·
PEV26 Ground Clearance	/	cm
PEV27 Side Bumper-Bottom Height	/	cm
PEV28 Side Bumper-Top Height PEV29 Centerline of Wheel		cm
		cm
PEV30 Top of Tire		cm
PEV31 Top of Wheel Well Opening PEV32 Bottom of A-Pillar at Windshield		cm
		cm
PEV33 Top of A-Pillar at Windshield PEV34 Top of Side View Mirror		cm
PEV34 Top of Side View Militor		5 111
LATERAL MEASUREMENTS		
PEV35 C _L to A-Pillar at Bottom of Windshield		cm
PEV36 C _L to A-Pillar at Top of Windshield		cm
PEV37 C _L to Maximum Side View Mirror Protrusion		cm
WRAP DISTANCES		
PEV38 Ground to Side/Top Transition		cm
PEV39 Ground to Hood Edge		cm
PEV40 Ground to Centerline of Hood (ORIGIN)		cm
PEV41 Ground to Head Contact		cm
LEA-1 Gloding to Head Collidat		2

ORIGINAL SPECIFICATIONS

Wheelbase	1083	inches	x 2.54	=	275 cm
Overall Length	1887	inches	x 2.54	=	479 cm
Maximum Width	0679	inches	x 2.54	=	<u> 173 cm</u>
Curb Weight	3901	pounds	x .4536	= 1	.769kg
Average Track	0547	inches	x 2.54	=	<u>/39</u> cm
Front Overhang	0354	inches	x 2.54	=	<u>090</u> cm
Rear Overhang	0464	inches	x 2.54	=	<u>/ / 8 cm</u>
Undeformed End Width		inches	x 2.54	=	 Cm
Engine Size: cyl./displ.	2200	СС	x .001	=	221
	134	CID	x .0164	=	22

	INJURY SOURCE
FRONT	
700 Front bumper	744 B pillar
701 Front lower valance/spoiler	745 C pillar
702 Front grille	746 D pillar
703 Hood edge and/or trim	748 Other pillar (specify):
704 Hood ornament (fixed)	749 Right side roof rail
705 Hood ornament (spring loaded)	750 Right side door surface
706 Headlight	751 Right side door handle
707 Retractable headlight door (Open/Closed	752 Right side mirror fixed housing
708 Turn signal/parking lights	753 Right side folding mirror
718 Other front or add on object	754 Right side glazing forward of B pillar
(specify):	755 Right side glazing rearward of B pilla
719 Unknown front object	756 Rear antenna
	757 Rear fender or quarter panel
Left Side Components	758 Other right side object
720 Front fender side surface	(specify):
721 Front antenna	759 Unknown right side component
722 A1 pillar	
723 A2 pillar	Back Components
724 B pillar	760 Rear (back) bumper
725 C pillar	761 Tailgate
726 D pillar	762 Hatchback, vertical surface
728 Other pillar	768 Other back component
(specify):	(specify):
729 Left side roof rail	769 Unknown back component
730 Left side door surface	
731 Left side door handle	Top Components
732 Left side mirror fixed housing	770 Hood surface
733 Left side folding mirror	771 Hood surface reinforced by under ho
734 Left side glazing forward of 8 pillar	component
735 Left side glazing rearward of B pillar	772 Front fender top surface
736 Left side back fender or quarter panel	773 Cowl area
	774 Miles blade & marraigne

Wheels		
790	Left front wheel / tire	
791	Right front wheel / tire	•
792	Left rear wheel / tire	•
793	Right rear wheel /tire	
798	Other wheel / tire (specify): _	
799	Unknown wheel / tire	
Underc	arriage components	
800	Front cross member	
801	Steering assembly/Front suspe	ension
802	Oil pan	
803	Exhaust system pipe	
804	Transmission	
805	Drive shaft	
806	Catalytic converter	
807	Muffler	
808	Floor pan	
809	Fuel tank	
810	Rear suspension	
818	Other undercarriage componer	nt
	(specify):	
819	Unknown undercarriage comp	onent
Access	ories	
820	Air scoop, deflector	
821	Cellular or CB radio antenna	~
822	Emergency lights or bar	
823	Fog lights	
824	Luggage, ski, or bike rack	
825	Cargo (specify):	
826	Spare tire	
827	Spotlight	
828	Other accessory (specify):	

Right Side Components

738 Other left side object (specify): __

740 Front fender side surface

739 Unknown left side component

741 Front antenna

737 Rear antenna

742 A1 pillar

743 A2 pillar

boor

774 Wiper blade & mountings

775 Windshield glazing

776 Front header

777 Roof surface

778 Backlight glazing

779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify): _

789 Unknown top component

Other Object or Vehicle in Environment

947 Ground

948 Other object (specify):_


949 Unknown object in environment


959 Unknown object on contacting vehicle

997 Noncontact injury source

999 Unknown injury source

VEHICLE DAMAGE SKETCH





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

			POINTS	OF PEDEST	RIAN CONTA	CT		
			PEDEST	RIAN CONTA	CT WORKSH	EET		
CONTACT ID LABEL	COMPONENT	LONGITUDINAL LOCAPION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY RÈGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
D	VALANCE	H35	428	0	7001	smadges scratches	①2 3 9	
C	11 /	435	+64	0	7001	Smudges Scratches	①2 3 9	1
H	Bumper	760	+09	0	LeG	Smudges Scratches	2 3 9 8	2
G.	Bumper	+97	-66	0	LeG	11	O 2 3 \$	3
B	Eage	+76	+07	Fam	Le GS Buttock	dent	1 2 3 g	2
E	41	±64	+65	•	BATTACK	40-7	O 2 3 9	2
6	Hood	+40	+07	0	theid	Scratches Shundges	2 3 9	2
5	il.	+44	+19	0	Hip	Smudges	①2 3 9	2
F	Hood	+20	+62	0	Hip	Smudges	2 3 9	2
D	//	+18.	+10	0	Hip	Smudges	1 02 3 \$	2.
5,	Hoad	-11	+13	0	Shoulde	(Smudges	2 3 9	2
0,	Hood	ココ	+65	0		rscratches	① Z 3 9	ュ
/< ,	WINDLY	-51	+58	0	Head	エトミトンエチュア	1 2 3 9	2
/<	y Weld	-43	+08	0	read	Spidelos	7 3 9	9 _
32	RAGIO ANTENNA		765	0	Arms Lecs	Bent	1 2 3 9	3
HI	shield	~\QQ	450	7.0		rspides	1 2 🕖 9	3
A	Whield	-1102	+10			spider	1 2 3 9	3
42	Red Min	₇₇ 78	+93	0	BACK	scratches smudges	① 2 3 9	3
	ŕ					V	1 2 3 9	
		,	•				1 2 3 9	
*	HeAd C	ONTACT	Size-	524	nx68.	em	1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 98	
							1 2 3 9	

National Accident Sampling System-Crashworthiness Data System: Pedestrian Exterior Vehicle Form

POINTS OF PEDESTRIAN CONTACT **CHRONOLOGICAL ORDER OF CONTACTS** CONFIDENCE LEVEL OF COMPONENT LONGITUDINAL LATERAL CRUSH CONTACT POINT SUPPORTING PHYSICAL EVIDENCE LOCATION SUSPECTED CONTACT CONTACTED LOCATION IN BODY REGION CODE CENTIMETERS (Circle) R. Foot ankle 46 135 0 **(2)** 2 3 9 701 FX TOE 135 46 (1) 2 3 9 701 R. ellow +75 0-1 **(1)** 2 3 9 741 -30 Ber 401 775 7)239 -45 +40 0-1 1 2 3 9 1 2 3 9 6 1 2 3 9 7 1 2 3 9 8 1 2 3 9 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 9 16 1 2 3 9 17 1 2 3 9 18 1 2 3 9 19 1 2 3 9 20 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 1: 2: 3: 9 24 1 2...3 9 25

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 142
4. Original Wheelbase 275	Code to the nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
040	$0.55.9$ inches $\times 2.54 = 1.4$ centimeters
1082 inches $\times 2.54 = 274$ centimeters	U J J . T inches x 2.34 = 7 7 PF certaineters
5. Original Average Track Width <u>/ 3 9</u>	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian <u></u>
nearest centimeter	(O) Not damaged
	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
0.54.7 inches x 2.54 = 1.38 centimeters	(4) Severe crush (>7 centimeters)
U J T inches X 2.54 = $I U Q$ centimeters	(8) Damage present, unknown if damage is from
	pedestrian impact
2	(9) Unknown
6. Hood Material	(o) olikliowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	, , , , , , , , , , , , , , , , , , ,
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(3) OTKHOWN	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length / OO	Front Vertical Measurements
Code to the	1.5.15.0
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(O) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass
039.3 inches $\times 2.54 = 099.8$ centimeter	(3) Rubber
	(4) Other (specify):
9. Hood Width Forward Opening / 3 7	(9) Unknown
Code to the	/
nearest centimeter	15. Front Bumper Reinforcement Material
	(O) No front contact
(210) 210 centimeters or more	(1) Steel
(999) Unknown	(2) Aluminum
$0.53.9$ inches $\times 2.54 = 1.36.9$ centimeters	(3) Stainless Steel
UDD Inches X 2.54 = [JW,] centimeters	(4) Other (specify):
10. Hood Width Midway / 3 6	(9) Unknown
	~
Code to the	16. Front Bumper-Bottom Height $\underline{U} + \underline{5}$
nearest centimeter	Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
053.5 inches $\times 2.54 = 43.5$ centimeters	(150) 150 centimeters or more
$V \supset J$ inches x 2.54 = $I \cup J$ centimeters	1 (000) 11 (
	(999) Unknown
	(999) Unknown (999) Unknown (999) Unknown

23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 75.5 inches X 2.54 = 191 centimeters
24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown LD4. 7 inches x 2.54 = 265 centimeters 25. Ground To Head Contact
25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown 77 5 inches X 2.54 = 196. Scentimeters
SIDE CONTACT DAMAGE
Side Vertical Measurements
26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29	Centerline of Wheel <u>O O O</u>	Side Lateral Measurements
25.	Code to the	
	nearest centimeter	0 0 0
	(000) No side contact	35. Centerline to A-Pillar <u>O O D</u>
	(150) 150 centimeters or more	at Bottom of Windshield
	(999) Unknown	(000) No side contact
	(333) Ottoriowit	Code to the
	inches X 2.54 = centimeters	nearest centimeter
	inches X 2.54 = centimeters	(250) 250 centimeters or more
		(999) Unknown
20	Top of Tire OOO	
30.		inches X 2.54 = centimeters
	Code to the	
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar OOO
	(200) 200 centimeters or more	at Top of Windshield
	(999) Unknown	Code to the
	V 0 74	nearest centimeter
	inches X 2.54 = centimeters	(000) No side contact
		(250) 250 centimeters or more
	Top of Wheel Well Opening O D	(999) Unknown
31.		
	Code to the	inches X 2.54 = centimeter
	nearest centimeter	
	(000) No side contact .	0 0 0
·	(250) 250 centimeters or more	37. Centerline to Maximum Side OOO
	(999) Unknown	View Mirror Protrusion ·
		Code to the
	inches X 2.54 = centimeters	nearest centimeter
22	Bottom of A-Pillar at Windshield 000	(000) No side contact
32.	Code to the	(300) 300 centimeters or more
	nearest centimeter	(999) Unknown
	(000) No side contact	
	(250) 250 centimeters or more	inches X 2.54 = centimeter
	(999) Unknown	
	(400)	Side Wrap Distance Measurements
	. inches X 2.54 = centimeters	
	^ ^ ~	38. Ground to Side/Top Transition ODD
33.	Top of A-Pillar at Windshield	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(400) 400 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
		A ~ A
	\sim	39. Ground to Hood Edge <u>O D D</u>
34.	Top of Side View Mirror <u>O O O</u>	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
		1

_				
	40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	000		
	41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	centimeters		
	inches X 2.54 =	centimeters		
	•			
				·
			·	
1			1	



9600000000 90621P00000011 969.00000000000108000100001 0000000000000000000000 01 969.0010000000000115F72000 90621P00010012 9.00 000000003321574309012806013023041209020209600142001415 90621P00010021 1010000000004 9.00 00000000078904021170111122 90621P00010131 9.00 00000000038536021170111122 90621P00010231 9.00 00000000037904021174111222 90621P00010331 9.00 00000000031904021677511253 90621P00010431 9.00 000000009420471301GCCS1447RB 00006409600177000003 90621P01000041 82110180082202411210011 9.00 000000002751393110013713614222110450550851008710518319 90621P01000051 00001000000000

PEDESTRIAN ASSESSMENT Occupant: 1 11 INTRA ERRORS

OHH1091 2 If TREATMENT PAS26 equals 0, 4 or 5, then
HH1092 WORKING DAYS LOST PAS29 should equal 00, 01, 97 or 99.

O

PSU90 CASE 621P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
		_		~
Pedestrian Accident	0	0	0	1
Pedestrian Assessment	O	0	1	Y V
Pedestrian Injury	0	0	0	1
Pedestrian General Vehic	1e 0	0	0	Υ
Pedestrian Exterior Vehi	cle O	0	О	Y
Total Inter Errors		0	0	
Total Case Errors	o	o	1	